

Package: HKprocess (via r-universe)

October 10, 2024

Version 0.1-1

Date 2022-10-26

Title Hurst-Kolmogorov Process

Description Methods to make inference about the Hurst-Kolmogorov (fractional Gaussian noise, fGn) and the AR(1) process. Related time series trend tests are also included.

Imports MCMCpack (>= 1.3-3), gtools(>= 3.5.0)

Depends R (>= 3.2.3)

Suggests ltsa (>= 1.4.6)

License GPL-3

Author Hristos Tyralis [aut, cre]
(<<https://orcid.org/0000-0002-8932-4997>>)

Maintainer Hristos Tyralis <montchrister@gmail.com>

NeedsCompilation yes

Date/Publication 2022-10-26 22:17:59 UTC

Repository <https://hristostyr.r-universe.dev>

RemoteUrl <https://github.com/cran/HKprocess>

RemoteRef HEAD

RemoteSha b7aea6c4c497d4b822c11a460390029ab09537e7

Contents

acfHKp	2
inferf	3
inferfmetrop	4
inferH	5
inferHmetrop	6
infermsfmetrop	8
infermsmetrop	9
lssd	10
lsv	11

ltza	12
ltzb	13
ltzc	14
ltzd	15
MannKendallLTP	16
mlear1	17
mleHK	18

Index	20
--------------	-----------

acfHKp	<i>Autocorrelation of HKp</i>
--------	-------------------------------

Description

The Hurst-Kolmogorov stochastic process (HKp) is a persistent process. The term HKp is an alternative of the term Fractional Gaussian Noise (FGN, see Koutsoyiannis 2010). Its autocorrelation function (ACF) is given by eq.16 (Koutsoyiannis 2002).

Usage

```
acfHKp(H, maxlag)
```

Arguments

H	Hurst parameter
maxlag	ACF computed at lags 0, 1, ..., maxlag

Value

Vector of autocorrelations at lags 0, 1, ..., maxlag.

Note

The parameter H should be in (0, 1), see Koutsoyiannis (2002)

Author(s)

Hristos Tyralis

References

- Koutsoyiannis D (2002) The Hurst phenomenon and fractional Gaussian noise made easy. *Hydrological Sciences Journal* **47(4)**:573–595. doi:[10.1080/02626660209492961](https://doi.org/10.1080/02626660209492961).
- Koutsoyiannis D (2010) A random walk on water. *Hydrology and Earth System Sciences* **14**:585–601. doi:[10.5194/hess145852010](https://doi.org/10.5194/hess145852010).

Examples

```
# Compute the ACF at lags 0, 1, ..., 10 when H = 0.8.
acfHKp(0.8, 10)
```

inferf

Posterior distribution of the ϕ parameter of the AR(1) process, using an Accept-Reject algorithm

Description

The function inferf is used to create a sample from the posterior distribution of ϕ . The function uses the eq.10 (Tyralis and Koutsoyiannis 2014) to make inference on ϕ and an Accept-Reject algorithm (see Robert and Casella 2004, Algorithm A.4).

Usage

```
inferf(data, n, add = 0.001, minu = -0.999, maxu = 0.999)
```

Arguments

data	time series data
n	The size of the simulated sample
add	A number added to the maximum value of the natural logarithm of eq.10, to avoid bugs of the Accept-Reject algorithm due to computation errors
minu	A lower bound to the parameter ϕ
maxu	An upper bound to the parameter ϕ

Value

Vector with the simulated sample.

Author(s)

Hristos Tyralis

References

Robert CP, Casella G (2004) *Monte Carlo Statistical Methods*. New York: Springer. doi:[10.1007/9781475741452](https://doi.org/10.1007/9781475741452).

Tyralis H, Koutsoyiannis D (2014) A Bayesian statistical model for deriving the predictive distribution of hydroclimatic variables. *Climate Dynamics* **42**(11-12):2867–2883. doi:[10.1007/s00382-013-1804-y](https://doi.org/10.1007/s00382-013-1804-y).

Examples

```
# Posterior distribution of the phi parameter of the AR(1) process for the Nile
# time series.

set.seed(12345)

samp.sim <- inferf(Nile,500)

hist(samp.sim, breaks = 20, main = expression(paste("Histogram of ",phi)),
xlab = expression(phi))
```

inferfmetrop

Posterior distribution of the ϕ parameter of the AR(1) process, using a Metropolis algorithm.

Description

The function `inferfmetrop` is used to create a sample from the posterior distribution of ϕ . The function uses the eq.10 in Tyralis and Koutsogiannis (2014) and a Metropolis algorithm to make inference on ϕ .

Usage

```
inferfmetrop(data, theta.init = 0.7, burnin = 500, mcmc = 20000, thin = 1,
tune = 1, verbose = 0, seed = NA)
```

Arguments

<code>data</code>	time series data
<code>theta.init</code>	Starting values for the sampling. Must be of the appropriate dimension. It must also be the case that <code>fun(theta.init, ...)</code> is greater than <code>-Inf</code> .
<code>burnin</code>	The number of burn-in iterations for the sampler.
<code>mcmc</code>	The number of MCMC iterations after <code>burnin</code> .
<code>thin</code>	The thinning interval used in the simulation. The number of MCMC iterations must be divisible by this value.
<code>tune</code>	The tuning parameter for the Metropolis sampling. Can be either a positive scalar or a k -vector, where k is the length of θ .
<code>verbose</code>	A switch which determines whether or not the progress of the sampler is printed to the screen. If <code>verbose</code> is greater than 0 the iteration number, the θ vector, the function value, and the Metropolis acceptance rate are sent to the screen every <code>verboseth</code> iteration.
<code>seed</code>	The seed for the random number generator. If <code>NA</code> , the Mersenne Twister generator is used with default seed 12345; if an integer is passed it is used to seed the Mersenne twister. The user can also pass a list of length two to use the L'Ecuyer random number generator, which is suitable for parallel computation. The first

element of the list is the L'Ecuyer seed, which is a vector of length six or NA (if NA a default seed of rep(12345, 6) is used). The second element of list is a positive substream number. See the MCMCpack specification for more details.

Value

An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package.

Note

The Metropolis algorithm uses the function MCMCmetrop1R from the package MCMCpack (Martin et al. 2011).

Author(s)

Hristos Tyralis

References

Martin AD, Quinn KM, Park JH (2011) MCMCpack: Markov chain Monte Carlo in R. *Journal of Statistical Software* **42**(9):1–21. doi:[10.18637/jss.v042.i09](https://doi.org/10.18637/jss.v042.i09).

Tyralis H, Koutsoyiannis D (2014) A Bayesian statistical model for deriving the predictive distribution of hydroclimatic variables. *Climate Dynamics* **42**(11–12):2867–2883. doi:[10.1007/s00382-013-1804-y](https://doi.org/10.1007/s00382-013-1804-y).

Examples

```
# Posterior distribution of the phi parameter of the AR(1) process for the Nile
# time series.

samp.sim <- inferfmetrop(Nile, theta.init = 0.7, burnin = 500, mcmc = 500,
                          thin = 1, tune = 1, seed = 12345)

hist(samp.sim, breaks = 20, main = expression(paste("Histogram of ", phi)),
      xlab = expression(phi))
```

inferH

Posterior distribution of the H parameter of the HKp using an Accept-Reject algorithm.

Description

The function inferH is used to create a sample from the posterior distribution of H. The function uses the eq.10 (Tyralis and Koutsoyiannis 2014) to make inference on H and an Accept-Reject algorithm (see Robert and Casella 2004, Algorithm A.4).

Usage

```
inferH(data, n, add = 0.001, minu = 0.001, maxu = 0.999)
```

Arguments

data	time series data
n	The size of the simulated sample
add	A number added to the maximum value of the natural logarithm of eq.10, to avoid bugs of the Accept-Reject algorithm due to computation errors
minu	A lower bound to the parameter H
maxu	An upper bound to the parameter H

Value

Vector with the simulated sample.

Author(s)

Hristos Tyralis

References

- Robert CP, Casella G (2004) *Monte Carlo Statistical Methods*. New York: Springer. [doi:10.1007/9781475741452](https://doi.org/10.1007/9781475741452).
- Tyralis H, Koutsoyiannis D (2014) A Bayesian statistical model for deriving the predictive distribution of hydroclimatic variables. *Climate Dynamics* **42(11-12)**:2867–2883. [doi:10.1007/s00382-013-1804y](https://doi.org/10.1007/s00382-013-1804y).

Examples

```
# Posterior distribution of the H parameter of the HKp for the Nile time series.

set.seed(12345)

samp.sim <- inferH(Nile,500)

hist(samp.sim, breaks = 20, main = "Histogram of H", xlab = "H")
```

inferHmetrop

Posterior distribution of the H parameter of the HKp, using a Metropolis algorithm.

Description

The function *inferfmetrop* is used to create a sample from the posterior distribution of H. The function uses the eq.10 in Tyralis and Koutsoyiannis (2014) and a Metropolis algorithm to make inference on H.

Usage

```
inferHmetrop(data, theta.init=0.7, burnin = 500, mcmc = 20000, thin = 1,
             tune = 1, verbose = 0, seed = NA)
```

Arguments

data	time series data
theta.init	Starting values for the sampling. Must be of the appropriate dimension. It must also be the case that $\text{fun}(\theta\text{.init}, \dots)$ is greater than $-\text{Inf}$.
burnin	The number of burn-in iterations for the sampler.
mcmc	The number of MCMC iterations after burnin.
thin	The thinning interval used in the simulation. The number of MCMC iterations must be divisible by this value.
tune	The tuning parameter for the Metropolis sampling. Can be either a positive scalar or a k -vector, where k is the length of θ .
verbose	A switch which determines whether or not the progress of the sampler is printed to the screen. If verbose is greater than 0 the iteration number, the θ vector, the function value, and the Metropolis acceptance rate are sent to the screen every verbose iteration.
seed	The seed for the random number generator. If NA, the Mersenne Twister generator is used with default seed 12345; if an integer is passed it is used to seed the Mersenne twister. The user can also pass a list of length two to use the L'Ecuyer random number generator, which is suitable for parallel computation. The first element of the list is the L'Ecuyer seed, which is a vector of length six or NA (if NA a default seed of rep(12345, 6) is used). The second element of list is a positive substream number. See the MCMCpack specification for more details.

Value

An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package.

Note

The Metropolis algorithm uses the function MCMCmetrop1R from the package MCMCpack (Martin et al. 2011).

Author(s)

Hristos Tyralis

References

- Martin AD, Quinn KM, Park JH (2011) MCMCpack: Markov chain Monte Carlo in R. *Journal of Statistical Software* **42**(9):1–21. doi:[10.18637/jss.v042.i09](https://doi.org/10.18637/jss.v042.i09).
- Tyralis H, Koutsoyiannis D (2014) A Bayesian statistical model for deriving the predictive distribution of hydroclimatic variables. *Climate Dynamics* **42**(11–12):2867–2883. doi:[10.1007/s00382-013-1804-y](https://doi.org/10.1007/s00382-013-1804-y).

Examples

```
# Posterior distribution of the H parameter of the HKp for the Nile time series.

samp.sim <- inferHmetrop(Nile, theta.init = 0.7, burnin = 500, mcmc = 500,
                          thin = 1, tune = 1, seed = 12345)

hist(samp.sim, breaks = 20, main = "Histogram of H", xlab = "H")
```

infermsfmetrop

Bayesian inference for μ and σ^2 for the AR(1) process.

Description

The function `infermsfmetrop` is used to create a sample from the posterior distribution of μ and σ^2 , using eqs. 8,9 in Tyralis and Koutsoyiannis (2014) for the AR(1) process.

Usage

```
infermsfmetrop(fbayes, data)
```

Arguments

data	time series data
fbayes	phi parameter simulation sample, should be a vector

Value

A matrix with two columns, the first corresponding to the sample of μ and the second corresponding to the sample of σ^2 .

Author(s)

Hristos Tyralis

References

Tyralis H, Koutsoyiannis D (2014) A Bayesian statistical model for deriving the predictive distribution of hydroclimatic variables. *Climate Dynamics* **42(11-12)**:2867–2883. doi:[10.1007/s00382-013-1804-y](https://doi.org/10.1007/s00382-013-1804-y).

Examples

```
# Posterior distribution of the mu and sigma parameters of the AR(1) process for
# the Nile time series.

set.seed(12345)

samp.sim1 <- inferf(Nile, 500)
```

```

samp.sim2 <- infermsfmetrop(samp.sim1, Nile)

hist(samp.sim2[,1], breaks = 20, main = expression(paste("Histogram of ",mu)),
     xlab = expression(paste(mu)))

hist(sqrt(samp.sim2[,2]), breaks = 20,
     main = expression(paste("Histogram of ",sigma)),
     xlab = expression(paste(sigma)))

```

infermsmetrop*Bayesian inference for μ and σ^2 for the HKp.***Description**

The function `infermsmetrop` is used to create a sample from the posterior distribution of μ and σ^2 , using eqs. 8,9 in Tyralis and Koutsoyiannis (2014) for the HKp.

Usage

```
infermsmetrop(Hbayes, data)
```

Arguments

<code>data</code>	time series data
<code>Hbayes</code>	Hurst parameter simulation sample, should be a vector

Value

A matrix with two columns, the first corresponding to the sample of μ and the second corresponding to the sample of σ^2 .

Author(s)

Hristos Tyralis

References

Tyralis H, Koutsoyiannis D (2014) A Bayesian statistical model for deriving the predictive distribution of hydroclimatic variables. *Climate Dynamics* **42(11-12)**:2867–2883. doi:[10.1007/s00382-013-1804-y](https://doi.org/10.1007/s00382-013-1804-y).

Examples

```
# Posterior distributions of the mu and sigma parameters of the HKp for the Nile
# time series.

set.seed(12345)

samp.sim1 <- inferH(Nile, 500)

samp.sim2 <- infermsmetrop(samp.sim1, Nile)

hist(samp.sim2[,1], breaks = 20, main = expression(paste("Histogram of ",mu)),
     xlab = expression(paste(mu)))

hist(sqrt(samp.sim2[,2]), breaks = 20,
     main = expression(paste("Histogram of ",sigma)),
     xlab = expression(paste(sigma)))
```

lssd

LSSD estimation for the HKp parameters.

Description

The function lssd is used to estimate the σ and H parameters of the HKp, using the LSSD (Least Squares based on Standard Deviation) method as described in Koutsoyiannis (2003) and Tyralis and Koutsoyiannis (2011, Section 2.3).

Usage

```
lssd(data, k1, p = 2, q = 0, interval = c(0.001, 0.999))
```

Arguments

data	time series data
k1	maximum aggregation scale
p	Parameter used to determine the weights
q	Parameter used to determine the penalty factor
interval	H interval estimation

Value

Vector of LSSD estimates of σ and H.

Author(s)

Hristos Tyralis

References

- Koutsoyiannis D (2003) Climate change, the Hurst phenomenon, and hydrological statistics. *Hydrological Sciences Journal* **48**(1):3–24. doi:[10.1623/hysj.48.1.3.43481](https://doi.org/10.1623/hysj.48.1.3.43481).
- Tyralis H, Koutsoyiannis D (2011) Simultaneous estimation of the parameters of the Hurst-Kolmogorov stochastic process. *Stochastic Environmental Research & Risk Assessment* **25**(1):21–33. doi:[10.1007/s004770100408x](https://doi.org/10.1007/s004770100408x).

Examples

```
# Estimate the parameters for the Nile time series.

lssd(data = Nile, k1 = floor(length(Nile)/10), p = 2)
```

lsv

LSV estimation for the HKp parameters.

Description

The function lsv is used to estimate the σ and H parameters of the HKp, using the LSV (Least Squares based on Variance) method as described in Tyralis and Koutsoyiannis (2011, Section 2.4).

Usage

```
lsv(data, k1, p = 6, q = 0, interval = c(0.001, 0.999))
```

Arguments

data	time series data
k1	maximum aggregation scale
p	Parameter used to determine the weights
q	Parameter used to determine the penalty factor
interval	H interval estimation

Value

Vector of LSV estimates of σ and H.

Author(s)

Hristos Tyralis

References

- Tyralis H, Koutsoyiannis D (2011) Simultaneous estimation of the parameters of the Hurst-Kolmogorov stochastic process. *Stochastic Environmental Research & Risk Assessment* **25**(1):21–33. doi:[10.1007/s004770100408x](https://doi.org/10.1007/s004770100408x).

Examples

```
# Estimate the parameters for the Nile time series.

lsv(data = Nile, k1 = floor(length(Nile)/10), p = 6, q = 50)
```

ltza

Value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix.

Description

The function `ltza` is used to calculate the value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix, using the Levinson algorithm (Golub and Van Loan 1996, Algorithm 4.7.2).

Usage

```
ltza(r, x)
```

Arguments

<code>r</code>	autocorelation vector
<code>x</code>	time series data

Value

Vector with values $t(x) * \text{solve}(R) * x$, $t(en) * \text{solve}(R) * x$, $t(en) * \text{solve}(R) * en$ and the natural logarithm of the determinant of R . $t(\cdot)$ denotes the transpose of a vector, $en = (1, 1, \dots, 1)$ and R is the autocorrelation matrix.

Author(s)

Hristos Tyralis

References

Golub GH, Van Loan CF (1996) *Matrix Computations*. Baltimore: John Hopkins University Press.

Examples

```
# Estimate the parameters for the Nile time series.

r <- acfHKp(H = 0.8, maxlag = length(Nile)-1)

examp <- ltza(r, Nile)

# Comparison of the algorithm with typical approaches
```

```

examp[1] - as.numeric(t(Nile) %*% solve(toeplitz(r)) %*% Nile)

examp[2] - as.numeric(t(rep(1, length(r))) %*% solve(toeplitz(r)) %*% Nile)

examp[3] - as.numeric(t(rep(1, length(r))) %*% solve(toeplitz(r)) %*%
rep(1,length(r)))

examp[4] - log(det(toeplitz(r)))

```

ltzb

Value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix.

Description

The function `ltzb` is used to calculate the value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix, using the Levinson algorithm (Golub and Van Loan 1996, Algorithm 4.7.2).

Usage

```
ltzb(r, x)
```

Arguments

r	autocorelation vector
x	time series data

Value

Vector with values $t(en) * \text{solve}(R) * x$ and $t(en) * \text{solve}(R) * en$. $t(.)$ denotes the transpose of a vector, $en = (1,1,\dots,1)$ and R is the autocorrelation matrix.

Author(s)

Hristos Tyralis

References

Golub GH, Van Loan CF (1996) *Matrix Computations*. Baltimore: John Hopkins University Press.

Examples

```

# Estimate the parameters for the Nile time series.

r <- acfHKp(H = 0.8,maxlag = length(Nile)-1)

examp <- ltzb(r,Nile)
# Comparison of the algorithm with typical approaches

```

```
examp[1] - as.numeric(t(rep(1, length(r))) %*% solve(toeplitz(r)) %*% Nile)
examp[2] - as.numeric(t(rep(1, length(r))) %*% solve(toeplitz(r)) %*%
    rep(1,length(r)))
```

ltzc

Value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix.

Description

The function ltzc is used to calculate the value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix, using the Levinson algorithm (Golub and Van Loan 1996, Algorithm 4.7.2).

Usage

```
ltzc(r, x)
```

Arguments

r	autocorelation vector
x	time series data

Value

Vector with values $t(x) * \text{solve}(R) * x$ and the natural logarithm of the determinant of R. $t(\cdot)$ denotes the transpose of a vector and R is the autocorrelation matrix.

Author(s)

Hristos Tyralis

References

Golub GH, Van Loan CF (1996) *Matrix Computations*. Baltimore: John Hopkins University Press.

Examples

```
# Estimate the parameters for the Nile time series.

r <- acfHKp(H = 0.8, maxlag = length(Nile)-1)

examp <- ltzc(r, Nile)

# Comparison of the algorithm with typical approaches

examp[1] - as.numeric(t(Nile) %*% solve(toeplitz(r)) %*% Nile)
```

```
examp[2] - log(det(toeplitz(r)))
```

ltzd	<i>Value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix.</i>
------	--

Description

The function ltzd is used to calculate the value of quadratic forms for the inverse of a symmetric positive definite autocorrelation matrix, using the Levinson algorithm (Golub and Van Loan 1996, Algorithm 4.7.2).

Usage

```
ltzd(r, x)
```

Arguments

r	autocorelation vector
x	time series data

Value

A numeric value $t(x) * \text{solve}(R) * x$. $t(\cdot)$ denotes the transpose of a vector and R is the autocorrelation matrix.

Author(s)

Hristos Tyralis

References

Golub GH, Van Loan CF (1996) *Matrix Computations*. Baltimore: John Hopkins University Press.

Examples

```
# Estimate the parameters for the Nile time series.

r <- acfHKp(H = 0.8, maxlag = length(Nile) - 1)

examp <- ltzd(r, Nile)

# Comparison of the algorithm with typical approaches

examp - as.numeric(t(Nile) %*% solve(toeplitz(r)) %*% Nile)
```

MannKendallLTP

*Mann-Kendall trend test under the scaling hypothesis.***Description**

The function MannKendallLTP applies the Mann-Kendall test under the scaling hypothesis for the data (Hamed 2008).

Usage

```
MannKendallLTP(data)
```

Arguments

data	time series data
------	------------------

Value

A list with three components.

Mann_Kendall Kendall's tau statistic, score, variance of score, Sen's slope, denominator D
where tau=S/D and p-value for the Mann-Kendall test

Significance_of_H

H estimate (eq.21, Hamed 2008) of the modified variables and p-value

Mann_Kendall_LTP

Variance of score (p.356, Hamed 2008) and p-value for the Mann-Kendall test
under the scaling hypothesis

Note

The functions score.c, score0.c and VstarSfunction.c are called from the C library of the package. The estimator of H for the stochastic process in eq(18) (Hamed 2008) is the ML estimator in Tyralis and Koutsoyiannis (2011). The denominator for the Mann-Kendall test is calculated according to eq(23.3.4) in Hipel and McLeod (1994). The Mann-Kendall and modified Mann-Kendall test's hypotheses are H_0 : no trend vs H_1 : trend is present. The H test's hypotheses are H_0 : H is not significant vs H_1 : H is significant.

Author(s)

Hristos Tyralis

References

Hamed KH (2008) Trend detection in hydrologic data: The Mann-Kendall trend test under the scaling hypothesis. *Journal of Hydrology* **349(3-4)**:350–363. doi:[10.1016/j.jhydrol.2007.11.009](https://doi.org/10.1016/j.jhydrol.2007.11.009).

Hipel KW, McLeod AI (1994) *Time series modelling of water resources and environmental systems*. Amsterdam: Elsevier.

Tyralis H, Koutsoyiannis D (2011) Simultaneous estimation of the parameters of the Hurst-Kolmogorov stochastic process. *Stochastic Environmental Research & Risk Assessment* **25**(1):21–33. doi:10.1007/s004770100408x.

Examples

```
# Modified Mann-Kendall test for the Nile time series.

MannKendallLTP(Nile)
```

mlear1

Maximum likelihood estimation for the AR(1) parameters.

Description

The function mlear1 is used to estimate the μ , σ and ϕ parameters of the AR(1) process as defined in Tyralis and Koutsoyiannis (2014). The method for their estimation is described in eqs.8-9 (Tyralis and Koutsoyiannis 2011).

Usage

```
mlear1(data, interval = c(-0.9999, 0.9999), tol = .Machine$double.eps^0.25)
```

Arguments

data	time series data
interval	ϕ interval estimation
tol	estimation error tolerance

Value

A vector whose values are the maximum likelihood estimates of μ , σ and ϕ .

Note

The function likelihoodfunction.c is called from the C library of the package. Ideas for creating this function came from McLeod et al. (2007).

Author(s)

Hristos Tyralis

References

- McLeod AI, Yu H, Krougly ZL (2007) Algorithms for linear time series analysis: With R package. *Journal of Statistical Software* **23(5)**:1–26. doi:[10.18637/jss.v023.i05](https://doi.org/10.18637/jss.v023.i05).
- Tyrallis H, Koutsoyiannis D (2011) Simultaneous estimation of the parameters of the Hurst-Kolmogorov stochastic process. *Stochastic Environmental Research & Risk Assessment* **25(1)**:21–33. doi:[10.1007/s00477-010-1040-8](https://doi.org/10.1007/s00477-010-1040-8).
- Tyrallis H, Koutsoyiannis D (2014) A Bayesian statistical model for deriving the predictive distribution of hydroclimatic variables. *Climate Dynamics* **42(11-12)**:2867–2883. doi:[10.1007/s00382-013-1804-y](https://doi.org/10.1007/s00382-013-1804-y).

Examples

```
# Estimate the parameters for the Nile time series.

mleHK(Nile)
```

mleHK

Maximum likelihood estimation for the HKp parameters.

Description

The function mleHK is used to estimate the μ , σ and H parameters of the HKp. The method for their estimation is described in eqs.8-9 (Tyrallis and Koutsoyiannis 2011).

Usage

```
mleHK(data, interval = c(0.0001, 0.9999), tol = .Machine$double.eps^0.25)
```

Arguments

data	time series data
interval	H interval estimation
tol	estimation error tolerance

Value

Vector of maximum likelihood estimates of μ , σ and H .

Note

The function likelihoodfunction.c is called from the C library of the package. Ideas for creating this function came from McLeod et al. (2007).

Author(s)

Hristos Tyralis

References

- McLeod AI, Yu H, Krougly ZL (2007) Algorithms for linear time series analysis: With R package. *Journal of Statistical Software* **23**(5):1–26. doi:[10.18637/jss.v023.i05](https://doi.org/10.18637/jss.v023.i05).
- Tyrallis H, Koutsoyiannis D (2011) Simultaneous estimation of the parameters of the Hurst-Kolmogorov stochastic process. *Stochastic Environmental Research & Risk Assessment* **25**(1):21–33. doi:[10.1007/s004770100408x](https://doi.org/10.1007/s004770100408x).

Examples

```
# Estimate the parameters for the Nile time series.  
mleHK(Nile)
```

Index

- * **array**
 - ltza, 12
 - ltzb, 13
 - ltzc, 14
 - ltzd, 15
- * **htest**
 - MannKendallLTP, 16
- * **models**
 - inferf, 3
 - inferfmetrop, 4
 - inferH, 5
 - inferHmetrop, 6
 - infermsfmetrop, 8
 - infermsmetrop, 9
- * **ts**
 - acfHKp, 2
 - lssd, 10
 - lsv, 11
 - MannKendallLTP, 16
 - mlear1, 17
 - mleHK, 18

acfHKp, 2

inferf, 3

inferfmetrop, 4

inferH, 5

inferHmetrop, 6

infermsfmetrop, 8

infermsmetrop, 9

lssd, 10

lsv, 11

ltza, 12

ltzb, 13

ltzc, 14

ltzd, 15

MannKendallLTP, 16

mlear1, 17

mleHK, 18